CMTI - CENTRAL MANUFACTURING TECHNOLOGY INSTITUTE

Tumkur Road, Bengaluru - 560022, Karnataka, INDIA

INVITATION FOR EXPRESSION OF INTEREST (EOI)

EoI Tender No.CMTI/PUR/01(G)/2023-24

 CMTI - Central Manufacturing Technology Institute, Tumkur Road, Bengaluru - 560022, Karnataka, India, Invites sealed Technical Bids from OEM and their Distributors / Indian Agents with authorization letter from OEM, if any, for purchase of items listed below.

Date: 14.09.2023

| SI. | EOI Tender No. | Description of | Qty | Last Date for | Opening |
|-----|-----------------|---------------------|-----|---------------|------------|
| No. | | Equipment | | Submission of | Date |
| | | | | Offer | |
| 1. | CMTI/PUR/01(G)/ | Supply of Ballscrew | 01 | 05.10.2023 | 06.10.2023 |
| | 2023-24 | Lead Error | No | | |
| | | Measuring | | | |
| | | Equipment | | | |

- 2. Interested Bidders may obtain further information from the office of the Group Head, Purchase & Stores, CMTI Central Manufacturing Technology Institute, Tumkur Road, Bengaluru 560022, Karnataka, India, mail: purchase@cmti.res.in
- 3. The Bidding Documents can be downloaded at https://cmti.res.in/all-tender/.
- 4. As this is only Expression of Interest, only Technical Bid must be shared. **NO PRICE BID TO BE SUBMITTED.**
- 5. CMTI will not accept late receipt on any reasons
- 6. Technical bid, in its complete form in all respects as specified in the technical Specification along with the Bidding Document with signature & stamp on all pages must be submitted. In exceptional circumstances and at its discretion, CMTI may extend the deadline for submission of proposals, in which case all rights and obligations of CMTI and the bidders previously subject to the original deadline will thereafter be subject to the deadline as extended.
- 7. EMD is not applicable.

- 8. The Director, CMTI- Bengaluru, reserves the right to accept any or all tenders either in part or in full or to split the order without assigning any reasons therefore.
- 9. Bidding Document can be downloaded free of cost from our website www.cmti.res.in

OBJECTIVE

THE OBJECTIVE OF THIS EXPRESSION OF INTEREST (EOI) IS FOR IDENTIFICATION OF EXISTING PROSPECTIVE MANUFACTURERS OF BALLSCREW LEAD ERROR MEASURING EQUIPMENT AND FINALIZATION OF TENDER SPECIFICATIONS ONLY. There is no commercial aspect associated to this EOI. The equipment must be part of already existing product catalogue displayed by the manufacturer, preferably in their website.

CMTI reserves the right to evaluate the responses, based on technical merits, in the process of identification of several potential Manufacturer's and their equipment's and also in finalizing specification.

VENUE & DEADLINE FOR SUBMISSION OF TECHNICAL BID

| BID REFERENCE | CMTI/PUR/01(G)/2023-24 |
|---|---|
| DEADLINE FOR RECEIPT OF EoI BIDS | 05.10.2023 |
| DATE AND TIME OF OPENING OF EOI BIDS (TECHNICAL BID ONLY) | 06.10.2023 |
| VENUE FOR BID OPENING | Central Manufacturing Technology Institute (CMTI). |
| ADDRESS FOR COMMUNICATION | Group Head, (Purchase & Stores) Central Manufacturing Technology Institute, Tumkur Road, Bengaluru- 560022, Karnataka, India Email ID: purchase@cmti.res.in |

VALIDITY OF OFFER:

The offer for TECHNICAL BIDS as per this document shall be valid for a period of two months initially which may be extended further if required by CMTI.

INSTRUCTIONS TO VENDORS (MANUFACTURERS)

Technical bids is to be submitted in the manner prescribed below

- i. Detailed technical references are enclosed at Annexure-I.
- ii. Applicant's Technical Bid as per (Format-1)
- iii. Organizational Details (Format-2)
- iv. Experience in Manufacture and supply of same or similar specification (Format-3)
- v. Financial strength of the organization (Format-4)
- vi. Detailed Catalogue/Brochure/presentation of company highlighting facilities of the company, past customers to whom same or similar equipment has been

Supply of Ballscrew Lead Error Measuring Equipment

supplied, images of equipment and any other relevant details,

PRE-QUALIFICATION CRITERIA

Following will be the minimum pre-qualification criteria. Each eligible vendor should possess all the following pre-qualification criteria. Responses not meeting the minimum pre-qualification criteria will be rejected and will not be evaluated.

| Sl.No. | Pre-qualification Criteria | Supporting Compliancedocument |
|--------|--|--|
| 1. | The applicant shall be a firm/ company/ partnership/ | Copy of Certificate of incorporation. If any other then please enclose the document |
| | proprietorship firm | accordingly. |
| 2. | The firm should be in the business | Certificate by Company Secretary of the |
| | of same or similar equipment for at | Bidder's organization |
| | least 05 years as on 31.03.2023 | |
| 3. | The Bidder shall have experience of | List of customers with Contact Details |
| | manufacturing and supplying: | |
| | i. Similar Equipment to Ballscrew | |
| | Manufacturer's | |
| | ii. Product must be a standard | |
| | catalogue product preferably | |
| | listed in their website. | |
| 4. | Preference will be given to | Detailed presentation/ Brochure and other |
| | agency/organization having ISO | supporting documents. |
| | 9000 and ISO IEC 17025 | |
| | Certification and who are having | |
| | experience in designing and | |
| | manufacturing dimensional | |
| | metrology equipments and into | |
| | measurements and also have | |
| | greater understanding in the field. | |

EVALUATION CRITERIA AND METHOD OF EVALUATION

- i. Screening of technical bid shall be carried out as per eligibility conditions mentioned in this document.
- ii. Technical bids will be evaluated for short listing inter alia based on their past experience of handling similar type of project, strength of their man power, financial strength of firm and presentation / proposal to the selection committeewhose decision will be final.

Response: Bidders must ensure that their Bid response is submitted as per the prescribed formats. Special comments on the objectives and scope of the service projected in the enquiry may also be submitted along with the offer.

ANNEXURE-I

TECHNICAL SPECIFICATIONS FOR BALLSCREW LEAD ERROR TESTING MACHINE FOR EOI

CMTI is seeking to procure Ballscrew Lead Error Measuring Equipment. The equipment to have automatic measuring capability. For every revolution, several hundred measured values need to be be recorded, calculated, plotted graphically and reported. The equipment to have precision granite as base to support ballscrew to be measured between centres or V Blocks depending on different ballscrew size. Physical probe shall be inserted into thread grove for tracing the profile of thread during ballscrew rotation and Laser interferometry is used for measuring longitudinal position with high accuracy. All the subsystems and elements used in the equipment to have highest possible accuracies to achieve measurement of CO class Ballscrew as per ISO 3408. The following table lists the EOI specification of the equipment desired.

Important Note: Merely stating, "comply" does not constitute sufficient information. Exact numerical values are to be specified wherever applicable. Specified technical data should be supported by product catalogues, manuals, test procedures and test plots etc. and demonstratable later at site. In case of insufficient technical data, the quote will be summarily rejected without seeking any clarifications.

| SI No | Parameter& Specification | Guidelines for vendor to provide | |
|-------|--|----------------------------------|--|
| | | inputs | |
| 1 | Equipment to have | Vendor to Comment on their | |
| | 1. Headstock Vertical axis | equipment Configuration and | |
| | 2. Headstock Spindle Rotary Axis with high | attach detailed tech data sheet | |
| | precision Chuck | to completely elaborate on | |
| | 3. Length Measuring Axis (Non-Interfering | working principle | |
| | in Measurement) | | |
| 2 | V-Block Support for Ballscrew Rotation with | Vendor to confirm | |
| | antifriction pads | | |
| 3 | Lapped high-precision Granite Bed (covering | | |
| | full length of measurement and supported by | Vendor to offer | |
| | cast iron base frame) | vendor to oner | |
| | , | | |
| 4 | Motorised Rotary Headstock Axis with | Vendor to confirm | |
| | Torque Motor | | |
| 5 | High Precision Rotary Encoder for Headstock | Vendor to confirm | |
| | Rotation axis | | |
| 6 | Motorised Vertical headstock Axis (Auto | Vendor to confirm | |
| | Height Adjustable) | vendor to commit | |
| 7 | Vertical probing Axis (With adjustable Force | Vendor to Offer | |
| | Measurement) | vendor to oner | |
| 8 | CNC-controller for minimum 3 axis | Vendor to Offer and comment | |

| 9 | Three-jaw precision chuck | Vendor to Offer |
|----|--|---|
| 10 | Linear guide ways | Vendor to confirm |
| 11 | Between centres device for small screw Ø 5 mm to Ø 25 mm. (To Include Tail Stock, Rotating Centre in Tail Stock, 3 Jaw Chuck in Headstock and Rotating Driver) | Vendor to confirm |
| 12 | Laser measuring system: Renishaw XL-80Q or equivalent for length measurement with XC-80 environmental compensation unit or equivalent with 2 no temperature sensor. Laser Interferometry to be solely used for linear measurement of ballscrew. | Vendor to Offer |
| 13 | Industrial PC Spectra 19"/4HE Rack or equivalent ATX Industrial Grade Rack or equivalent with support to 7 th generation or above Intel core i7 processor 2xGigabit Ethernet, 2xUSB 3.0, 2xUSB 2.0, 1xRS232, 1xRS-485, DVI-D, VGA, HDMI, iDP 16GB RAM DDR4 Free slots: 4xPCI; 1xPClex16; 1xPClex4, 1xPClex1 512GB SSD + 512GB SSD, 1xDVD RW WIN10/64BIT/en or latest version MS Office 2021 or latest version PC-keyboard (US layout) Optical wheel mouse HP P22 G4 21.5" Monitor or equivalent | Vendor to Offer same or propose equivalent |
| 14 | Laser Printer: HP LaserJet Pro M404dn or equivalent | Vendor to Offer |
| 15 | Electrical Cabinet with Console | Vendor to Offer |
| 16 | Measurement Software as per ISO 3048 | Vendor to Offer |
| 17 | Min. Measurable Workpiece Diameter without centring device =Ø 20 mm | Vendor to Offer |
| 18 | Max. Measurable Workpiece Diameter without centring device =Ø 80 mm | Vendor to Offer |
| 19 | Min. Measurable Workpiece Diameter with centring device =Ø 5 mm | Vendor to Offer |
| 20 | Max. Measurable Workpiece Diameter with centring device =Ø 25 mm | Vendor to Offer |

| 21 | Max. Measurable Ballscrew length =4000 mm | Vendor to Offer |
|----|--|-------------------------------|
| 22 | Max. travel along measuring axis = ≥4050 | vender to oner |
| 22 | mm | Vendor to confirm |
| 23 | Max. travel headstock axis =≥80 mm | Vendor to confirm |
| 24 | Total weight | Vendor to Specify |
| 25 | Resolution of Headstock Rotary Axis =≤0.001° | Preferable, Vendor to confirm |
| 26 | Headstock Bearing Accuracy =1 μm | Vendor to Offer |
| 27 | Precision of Rotary Axis =±5 arc sec | Vendor to Offer |
| 28 | Resolution of length measuring system =≤0.01 µm | Preferable, Vendor to confirm |
| 29 | Precision of laser system =1 μm / m | Vendor to Offer |
| 30 | Straightness of Probing axis =≤0.15 µm | Vendor to confirm |
| 31 | Straightness of Length measuring axis | |
| 31 | (Horizontal) =1 μ m+1 μ m / m | Vendor to confirm |
| 32 | Straightness of Length measuring axis | Vendor to confirm |
| | (Vertical) =1 μm+1 μm / m | vendor to confirm |
| 33 | Measurement, Display & Reporting of measured parameters in values and graphs/charts (Travel Deviation Diagram) as per ISO 3408 Standard. Sample certificate will | |
| | be provided by CMTI which needs to adhered and further customised to our requirement | |
| | for certificate and report. | |
| | Measurement parameters: | |
| | Travel variation over useful path | |
| | Travel variation over path of 300 mm | |
| | Travel variation over one revolution | Desirable, Vendor to confirm |
| | Mean travel deviation | and comment in detail. To |
| | Quality grade | compulsorily provide |
| | | supporting document listing |
| | Software Features: | each and every features of |
| | Easy control of the machine via | software. |
| | software with simple manual control | |
| | unit | |
| | Easy-to-learn use of the software, no | |
| | special know-how of the user | |
| | required | |
| | Different user levels (user, admin) | |
| | Real-time compensation of laser | |
| | environment conditions, including | |
| | material temperature of the | |
| | specimen (always displayed and | |

| | selectable) Real-time compensation of measuring slide pitch error Fully-automated measuring process Display with actual position of all axis Zero / reference function of axis (laser | |
|----|--|--------------------------------------|
| | interferometer length measuring axis) Selectable unit (metric, inch) Data load / save function, also by using .csv data Travel compensation for useful path | |
| | Measuring variables (speed, measuring points or measuring step, further needed inputs) Sense of rotation (for right / left ball screws) | |
| | Automatic display of the measuring diagram after measurement Filtering options for evaluation of the | |
| | measurement Filtering options of periodical 2π error Software statistic tool Support both between centres measurement and on V-block | |
| 34 | measurements Required air compression | Vandar ta spasify |
| 35 | Required air compression Air consumption | Vendor to specify Vendor to specify |
| 36 | Air Dryer | Vendor to specify Vendor to specify |
| 37 | Electrical connection 400 VAC @ 50/60 Hz | Vendor to specify Vendor to confirm |
| 38 | Ambient temperature 20±2°C and Class 10000 at installation site where quoted specification to be proved | Vendor to note and confirm |
| 39 | Engineering Manual | Vendor to Offer |
| 40 | Maintenance Manual | Vendor to Offer |
| 41 | Operator Manual | Vendor to Offer |

Supply of Ballscrew Lead Error Measuring Equipment

| 42 | Set of probe heads | Vendor to Offer and comment |
|----|--|-----------------------------|
| | (To enable measurement of different profile | |
| | sizes) | |
| | (Ø0.800mm, Ø1.000mm, Ø1.500mm, | |
| | Ø2.000mm, Ø2.3812, Ø3.175, Ø3.9688, | |
| | Ø4.7625, Ø5.5562, Ø6.350, Ø7.1438, | |
| | Ø7.9375, Ø8.7312, Ø9.525, Ø10.3187, | |
| | Ø12.700, Ø15.875, Ø19.050, Ø25.400, | |
| | Ø3.000, Ø4.000, Ø5.000, Ø6.000, Ø7.000, | |
| | Ø8.000, Ø9.000, Ø10.000, Ø11.000, Ø12.000, | |
| | Ø13.000, Ø14.000, Ø15.000) | |
| 43 | Master Ballscrew Set of 3 covering size range | Vendor to Offer |
| 44 | Tool Kit (If any specialised tooling's involved) | Vendor to confirm |

Vendor to Offer Installation, Testing, Commissioning and Training Unloading, unpacking, installation, testing & commissioning to be carried out by a factory trained engineers at CMTI by supplier free of cost. Factory Acceptance Test: Manufacturer shall arrange free pre-dispatch equipment audit for two CMTI personals on equipment construction on basis of accuracy, hardware & software installed, operation, maintenance, application and safety at manufacturer place includes transport, accommodation and hospitality for period of one week. Testing: During pre-dispatch testing at factory site and also during testing at CMTI site, the Equipment working and Machine accuracies to be proved as per Tender Specification. Vendor to provide necessary equipment like laser interferometer with related optics and other necessary masters and artifacts, free of charge, during Inspection, at both supplier's place and customer's place. Following pre-dispatch equipment audit, comprehensive training to ensure the equipment specifications, smooth daily operation and maintenance shall be provided at free of cost by the vendor Training: For a batch of CMTI personals for 3 business days at site immediately after completing installation, manufacturer must train hardware & software, operation, maintenance, application and safety 45 Vendor to Offer Acceptance Criteria of CMTI

FORMAT 1: APPLICANT'S TECHNICAL BID

To,

Group Head, Purchase & Stores, Central Manufacturing Technology Institute (CMTI), Tumkur Road, Bengaluru - 560022, Karnataka, India

Sub: Submission of Technical bid for manufacture and supply of Ballscrew Lead Error Measuring Equipment

Dear Sir,

In response to the Invitation for Tender No. CMTI/PUR/01(G/2023-24 Published at https://cmti.res.in/all-tender/ website for the above purpose, we would like to submit following technical documents to carry out the above proposed task.

- 1. Organizational Details (Format-2)
- 2. Experience in related fields (Format-3)
- 3. Financial strength of the organization (Format-4)
- 4. Additional information (Company Brochure/catalogue, ppt with images of similar jobs, current customers)

Sincerely Yours,

Signature of the applicant

Full name of theapplicant Stamp & Date

Note: This is to be furnished on the letter head of the organization

FORMAT 2: ORGANIZATION DETAILS

| Sl. No | Organizational Contact Details | | |
|--------|---|--|--|
| 1. | Name of Organization | | |
| 2. | Main areas of business | | |
| 3. | Type of Organization/ Business structure | | |
| 4. | Address of registered office with telephone no. & fax | | |
| 5. | Contact Person with telephone no. & email ID | | |

| _ | | | | | | | |
|---|---|--------|----|---|---|----|--|
| ⊢ | n | \sim | lo | C | Δ | ٠. | |
| ᆫ | ш | U | U | J | C | • | |

1. Copy of Certificate of Incorporation.

Signature of the applicant

Full name of theapplicant Stamp & Date

FORMAT 3: EXPERIENCE IN RELATED FIELDS

| Sl.No. | Items | Number of Equipment supplied diglast 5 years (Minimum 3 No mandatory) | Mention the name of Customer and Address (Preferably Ballscrew Manufacturer's) | Order Value of each Equipment |
|--------|--|---|--|-------------------------------------|
| 1 | Experience in supply of similar equipment with Purchaser Name and contact details. | | | |
| 2 | Experience in supplying similar equipment in Government organization if any | | | |

Signature of the applicant

Full name of applicant Stamp & Date

FORMAT 4: FINANCIAL STRENGTH OF THE ORGANIZATION

| S. No | Financial Year | Whether profitable Yes/NO | Annual net profit | Overall annual turnover |
|--|----------------|---------------------------------|----------------------|----------------------------|
| 1. | 2019-20 | | | |
| 2. | 2020-21 | | | |
| 3. | 2021-22 | | | |
| Note: Please enclose auditor's certificate in support of your claim. | | | | |

Signature of the applicant

Full name of applicant Stamp & Date